

### HS 480-04 Casino Line

Hotel laptop safe



## **Prime parameters**

Size of the safe

External dimensions: 190 mm × 420 mm × 370 mm

### Colour

Choose your safe's standard colour or modify it

#### Electronic lock

Electronic lock

HARTMANN TRESORE Polska Sp. z o. o tel. +48 22 850 40 45 www.hartmann-tresore.pl

# **Technical details**

External dimensions (H x W x D)	190 mm × 420 mm × 370 mm
Internal dimensions (H x W x D)	175 mm × 417 mm × 313 mm
Weight	13 kg
Capacity	25
Standard lock	Electronic lock
Size of the safe	Small
Article number	HS 480-04 V200
Hotel's own mastercode	yes
Battery status display	yes
Upholstered bottom of the safe	yes
LED interior lighting	yes
Emergency opening option	mastercode, master key, possibly master card
Amount of operations	500
Readout option	yes
LED display	yes
Illuminated keys	yes
Thickness of the body	1,5 mm
Door opening angle	105°
Door clearance dimensions	150 x 344 mm (W x Sz)
Door leaf thickness	5 mm
Protruding door hinges/fittings	14 mm
Lacquer/Colour	matt black, powder coated
Features of the lock	motorised locking and opening with two solid 20 mm diameter bolts
Lock	electronic with keypad for any 3-6 digit code and RFID/NFC technology
Adapted for wall anchoring	yes
Adapted for anchoring in the ground	yes

HARTMANN TRESORE Polska Sp. z o. o tel. +48 22 850 40 45 www.hartmann-tresore.pl

Paderborn Hamburg Berlin Dùsseldorf Cologne Munich London Paris Midlan Warsaw Winterthur Dubai

Equipment	- for tablet/laptop up to 15" - powered by ordinary alkaline batteries (4 x 1.5 V, supplied), - new, easy to read LED display with red characters, - 230 V socket with 3 m wire and plug with safety contact, - new, easy to read LED display with white characters, - silver-black operating panel, black keypad with high gloss, - operating instructions in three languages (sticker with a washable surface), - audit system for reading out the last 500 operations
Door thickness	50 mm
Door opening direction	right side

HARTMANN TRESORE Polska Sp. z o. o tel. +48 22 850 40 45 www.hartmann-tresore.pl