

WT 250-01

Gun safe



Prime parameters

Size of the safe

External dimensions: 1650 mm × 770 mm × 500 mm

Resistance class and insurance

Security class 0 according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock

Key lock

Technical details

| | |
|------------------------------------|--|
| External dimensions (H x W x D) | 1650 mm x 770 mm x 500 mm |
| Internal dimensions (H x W x D) | 1510 mm x 645 mm x 330 mm |
| Weight | 340 kg |
| Capacity | 321 l |
| Security class | 0 |
| Limit of protected value – home | to 40.000 € |
| Limit of protected value – company | to 10.000 € |
| Standard lock | Key lock |
| Size of the safe | Big |
| Article number | WT 250-01 |
| Shelves | 3 |
| Weapon holders | 7+4 |
| Certification body | VdS |
| Anti-burglary protection standard | EN 1143-1 |
| Fire resistance | LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659 |
| Door thickness | 105 mm |
| Door opening direction | right side |
| Door opening angle | 180° |
| Door clearance dimensions | 1477 x 615 mm |
| Protruding door hinges/fittings | 60 mm |
| Maximum weapon length | 1330 mm |
| Features of the lock | 4-sided bolt locking system, fixed pins on the hinge side |
| Lock | high security key lock (2 keys included) |
| Lacquer/Colour | light grey RAL 7035 |
| Inner safes | 2, both 200 mm high |
| Cleaning rod holder | 1 |

Adapted for wall anchoring no

Interior fittings - 7 weapon holders at the rear wall (left side) and 4 removable holders (right-hand side), - 3 lockers and a cleaning rod holder at the door
