

## WT 250-02

Gun safe, double-door, screw-in version



### Prime parameters

#### Size of the safe

External dimensions: 1650 mm × 1350 mm × 600 mm

#### Resistance class and insurance

Security class 0 according to EN 1143-1

#### Colour

Choose your safe's standard colour or modify it

#### Key lock

Key lock

# Technical details

External dimensions (H x W x D)	1650 mm x 1350 mm x 600 mm
Internal dimensions (H x W x D)	1510 mm x 550 mm x 440 mm
Weight	343 kg
Capacity	730 l
Security class	0
Limit of protected value – home	to 40.000 €
Limit of protected value – company	to 10.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 250-02
Shelves	4
Weapon holders	9+7
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659
Door thickness	105 mm
Door opening direction	both sides
Door opening angle	180°
Door clearance dimensions	1477 x 520 mm
Protruding door hinges/fittings	60 mm
Maximum weapon length	1330 mm
Features of the lock	4-sided bolt locking system, fixed pins on the hinge side
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	3
Cleaning rod holder	1

---

Adapted for wall anchoring	no
More data on the body	multi-walled on all sides, 342.5 kg per side
Interior fittings	left half of the safe: - a 200 mm high internal safe at the top, - 9 weapon holders at the rear wall and 7 weapon holders at the pivoting wall. right half of the safe: - 2 inner safes at the top, alongside, each 370 mm high; - right internal safe with a shelf, - 3 adjustable shelves below

---