

## WT 250-22

Gun safe



### Prime parameters

#### Size of the safe

External dimensions: 1800 mm × 770 mm × 600 mm

#### Resistance class and insurance

Security class 0 according to EN 1143-1

#### Colour

Choose your safe's standard colour or modify it

#### Key lock

Key lock

# Technical details

External dimensions (H x W x D)	1800 mm x 770 mm x 600 mm
Internal dimensions (H x W x D)	1710 mm x 645 mm x 430 mm
Weight	420 kg
Capacity	474 l
Security class	0
Limit of protected value – home	to 40.000 €
Limit of protected value – company	to 10.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 250-22
Shelves	3
Weapon holders	16
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659
Door thickness	105 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1677 x 615 mm
Protruding door hinges/fittings	60 mm
Maximum weapon length	1300 mm
Features of the lock	4-sided bolt locking system, fixed pins on hinge side, bore-proof armour in the lock area
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	2, both 370 mm high
Cleaning rod holder	1

Adapted for anchoring in the ground	yes
Adapted for wall anchoring	no
Interior fittings	- 7 gun holders at the rear wall (version with shelves), - 4 additional hanging gun racks (total of 11 gun racks, then without shelves), - unscrewable partition wall, - 2 internal safes, each of file binder height - adaptation for mounting a partition wall