

## WT 270-09

Gun safe, double-door



### Prime parameters

#### Size of the safe

External dimensions: 1600 mm × 990 mm × 550 mm

#### Resistance class and insurance

Security class I according to EN 1143-1

#### Colour

Choose your safe's standard colour or modify it

#### Key lock

Key lock

# Technical details

External dimensions (H x W x D)	1600 mm x 990 mm x 550 mm
Internal dimensions (H x W x D)	1461 mm x 866 mm x 380 mm
Weight	465 kg
Capacity	480 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 270-09
Shelves	3
Weapon holders	10+6
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659
Door thickness	105 mm
Door opening direction	both sides
Door opening angle	180°
Door clearance dimensions	1428 x 836 mm
Protruding door hinges/fittings	60 mm
Maximum weapon length	1260 mm
Features of the lock	4-sided bolt locking system, fixed pins on the hinge side
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	2 alongside, both 200 mm high
Cleaning rod holder	1

Adapted for anchoring in the ground	yes
Adapted for wall anchoring	no
More data on the body	multi-wall, 62 mm thick, with the insulation as above
Interior fittings	- 10 weapon holders at the rear wall, - 2 weapon holders at the left wall, - 4 mountable weapon holders at the right side