


WT 270-10

Gun safe



Prime parameters

Size of the safe

External dimensions: 1650 mm × 900 mm × 500 mm

Resistance class and insurance

Security class I according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock

Key lock

Technical details

External dimensions (H x W x D)	1650 mm x 900 mm x 500 mm
Internal dimensions (H x W x D)	1511 mm x 776 mm x 330 mm
Weight	410 kg
Capacity	387 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 270-10
Shelves	--
Weapon holders	14+4
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659
Door thickness	105 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1478 x 746 mm
Protruding door hinges/fittings	60 mm
Maximum weapon length	1210 mm
Features of the lock	4-sided bolt locking system, fixed pins on hinge side
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	2, both 200 mm high
Cleaning rod holder	1

Adapted for anchoring in the ground	yes
Adapted for wall anchoring	no
More data on the body	multi-wall, 62 mm thick, with the insulation as above
Interior fittings	- removable partition wall, - double inner safe (with a partition wall), - 3 lockers and a cleaning rod holder at the door