

WT 270-22

Gun safe



Prime parameters

Size of the safe

External dimensions: 1800 mm × 770 mm × 600 mm

Resistance class and insurance

Security class I according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock

Key lock

Technical details

External dimensions (H x W x D)	1800 mm x 770 mm x 600 mm
Internal dimensions (H x W x D)	1676 mm x 646 mm x 430 mm
Weight	445 kg
Capacity	465 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 270-22
Shelves	3
Weapon holders	7+4
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659
Door thickness	105 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1478 x 616 mm
Protruding door hinges/fittings	60 mm
Maximum weapon length	1300 mm
Features of the lock	- 4-sided bolt locking system, - fixed pins on hinge side, - locking area protected against drilling, milling and cutting
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	2
Cleaning rod holder	1

Adapted for anchoring in the ground	yes
Adapted for wall anchoring	no
More data on the body	multi-walled, 62 mm thick, with the insulation as above
Interior fittings	- 7 gun racks at the rear wall, with shelf section, - 4 additional hanging gun racks (without shelves, total of 11 gun racks), - additional swing wall (special equipment) accommodates 9 further gun racks, - 2 inner vaults, each with a height of 370 mm (height of binder)