

WT 270-22

Gun safe



Prime parameters

Size of the safe

External dimensions: 1800 mm × 770 mm × 600 mm

Resistance class and insurance

Security class I according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock

Key lock

Technical details

| | |
|------------------------------------|---|
| External dimensions (H x W x D) | 1800 mm x 770 mm x 600 mm |
| Internal dimensions (H x W x D) | 1676 mm x 646 mm x 430 mm |
| Weight | 445 kg |
| Capacity | 465 l |
| Security class | I |
| Limit of protected value – home | to 65.000 € |
| Limit of protected value – company | to 20.000 € |
| Standard lock | Key lock |
| Size of the safe | Big |
| Article number | WT 270-22 |
| Shelves | 3 |
| Weapon holders | 7+4 |
| Certification body | VdS |
| Anti-burglary protection standard | EN 1143-1 |
| Fire resistance | LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659 |
| Door thickness | 105 mm |
| Door opening direction | right side |
| Door opening angle | 180° |
| Door clearance dimensions | 1478 x 616 mm |
| Protruding door hinges/fittings | 60 mm |
| Maximum weapon length | 1300 mm |
| Features of the lock | - 4-sided bolt locking system, - fixed pins on hinge side, - locking area protected against drilling, milling and cutting |
| Lock | high security key lock (2 keys included) |
| Lacquer/Colour | light grey RAL 7035 |
| Inner safes | 2 |
| Cleaning rod holder | 1 |

| | |
|-------------------------------------|--|
| Adapted for anchoring in the ground | yes |
| Adapted for wall anchoring | no |
| More data on the body | multi-walled, 62 mm thick, with the insulation as above |
| Interior fittings | - 7 gun racks at the rear wall, with shelf section, - 4 additional hanging gun racks (without shelves, total of 11 gun racks), - additional swing wall (special equipment) accommodates 9 further gun racks, - 2 inner vaults, each with a height of 370 mm (height of binder) |