

## WT 275-20

Gun safe, double-door



### Prime parameters

#### Size of the safe

External dimensions: 1650 mm × 1200 mm × 550 mm

#### Resistance class and insurance

Security class I according to EN 1143-1

#### Colour

Choose your safe's standard colour or modify it

#### Key lock

Key lock

# Technical details

External dimensions (H x W x D)	1650 mm x 1200 mm x 550 mm
Internal dimensions (H x W x D)	1570 mm x 1120 mm x 420 mm
Weight	415 kg
Capacity	778 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 275-20
Shelves	5
Weapon holders	16
Certification body	ECB-S
Anti-burglary protection standard	EN 1143-1
Door thickness	84 mm
Door opening direction	both sides
Door opening angle	180°
Door clearance dimensions	1538 x 1104 mm
Protruding door hinges/fittings	60 mm
Maximum weapon length	1570 mm
Features of the lock	3-sided bolt locking system, locking area protected by armoured plates and locking cover
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	1, 300 mm high
Cleaning rod holder	2
Partition wall	yes

Adapted for wall anchoring	no
More data on the body	multi-walled, 40 mm thick
Interior fittings	- bottom right, unscrewable shelf unit approx. 240 mm wide with 3 shelves, - top middle partition 300 mm, on its left side railing and adjustable shelf, on the right side lockable inner vault height right internal vault height 300 mm with adjustable shelf and cylinder lock, - removable partition wall and adaption for a swing wall