

## WT 285-12

Gun safe



### Prime parameters

#### Size of the safe

External dimensions: 1580 mm × 780 mm × 630 mm

#### Resistance class and insurance

Security class I according to EN 1143-1

#### Colour

Choose your safe's standard colour or modify it

#### Key lock

Key lock

# Technical details

External dimensions (H x W x D)	1580 mm x 780 mm x 630 mm
Internal dimensions (H x W x D)	1430 mm x 630 mm x 420 mm
Weight	415 kg
Capacity	378 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 285-12
Shelves	3
Weapon holders	6+4
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Door thickness	125 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1388 x 554 mm
Protruding door hinges/fittings	50 mm
Maximum weapon length	1250 mm
Features of the lock	- 3-sided bolt locking system with 35 mm diameter pins, - fixed pins on hinge side, - locking area protected by armoured plates, locking cover and emergency locking
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	1, 180 mm high
Cleaning rod holder	2
Partition wall	yes

Adapted for wall anchoring	no
More data on the body	triple-walled with integrated reinforcement, fire insulation mantle acc. to DIN 4102, fire safety strip
Interior fittings	removable partition wall, safe prepared for installation of a swinging wall