

## WT 297-01

Fire resistant gun safe



### Prime parameters

#### Size of the safe

External dimensions: 1510 mm × 705 mm × 470 mm

#### Resistance class and insurance

Security class I according to EN 1143-1

#### Colour

Choose your safe's standard colour or modify it

#### Key lock

Key lock

# Technical details

External dimensions (H x W x D)	1510 mm x 705 mm x 470 mm
Internal dimensions (H x W x D)	1387 mm x 604 mm x 306 mm
Weight	365 kg
Capacity	256 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 297-01
Shelves	6
Weapon holders	6+5
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	S 60 P - 60 min. for paper documents acc. to EN 1047-01
Door thickness	105 mm
Door opening direction	right side
Door opening angle	180°
Protruding door hinges/fittings	50 mm
Features of the lock	3-sided bolt locking system
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	1, 170 mm high with cylindric lock
Cleaning rod holder	2
Partition wall	yes
More data on the door	multi-walled, 3 mm thick plate, with a special emergency bolt locking system activated during an attempted break-in

More data on the body

multi-walled, with a special concrete mixture

Interior fittings

screwed partition wall