WT 300-04

Fire resistant gun safe



Prime parameters

Size of the safe

External dimensions: 1500 mm × 780 mm × 550 mm

Resistance class and insurance

Security class I according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock

Key lock

Technical details

External dimensions (H x W x D)	1500 mm × 780 mm × 550 mm
Internal dimensions (H x W x D)	1208 mm × 636 mm × 321 mm
Weight	480 kg
Capacity	246 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 300-04
Shelves	--
Weapon holders	12
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	S 120 P - 120 min. for paper documents acc. to EN 1047-01
Door thickness	132 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1163 x 543 mm
Protruding door hinges/fittings	70 mm
Features of the lock	4-sided bolt locking system
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	--
Cleaning rod holder	--
Partition wall	yes

Interior fittings	removable partition wall