# WT 310-05

Fire resistant gun safe



## Prime parameters

### Size of the safe

External dimensions: 1810 mm × 821 mm × 573 mm

### Resistance class and insurance

Security class II according to EN 1143-1

### Colour

Choose your safe's standard colour or modify it

### Key lock

Key lock

# Technical details

| | |
|---|---|
| External dimensions (H x W x D) | 1810 mm × 821 mm × 573 mm |
| Internal dimensions (H x W x D) | 1500 mm × 649 mm × 331 mm |
| Weight | 774 kg |
| Capacity | 322 l |
| Security class | II |
| Limit of protected value – home | to 100.000 € |
| Limit of protected value – company | to 50.000 € |
| Standard lock | Key lock |
| Size of the safe | Big |
| Article number | WT 310-05 |
| Shelves | 3 |
| Weapon holders | 8+2 |
| Certification body | VdS |
| Anti-burglary protection standard | EN 1143-1 |
| Fire resistance | S 120 P - 120 min. for paper documents acc. to EN 1047-01 |
| Door thickness | 139 mm |
| Door opening direction | right side |
| Door opening angle | 180° |
| Door clearance dimensions | 1461 x 572 mm |
| Protruding door hinges/fittings | 70 mm |
| Maximum weapon length | 1293 mm |
| Features of the lock | 4-sided bolt locking system |
| Lock | high security key lock (2 keys included) |
| Lacquer/Colour | light grey RAL 7035 |
| Inner safes | 1, 200 mm high, with cylindric lock |
| Cleaning rod holder | -- |

| | |
|---|---|
| Adapted for wall anchoring | no |
| More data on the body | multi-walled, external dimensions including the 100 mm high socle |
| Interior fittings | - 8 weapon holders at the back wall, - one weapon holder each at the left and the partition wall, - 3 adjustable shelves on the right side |