

WT 310-05

Fire resistant gun safe



Prime parameters

Size of the safe

External dimensions: 1810 mm × 821 mm × 573 mm

Resistance class and insurance

Security class II according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock

Key lock

Technical details

External dimensions (H x W x D)	1810 mm x 821 mm x 573 mm
Internal dimensions (H x W x D)	1500 mm x 649 mm x 331 mm
Weight	774 kg
Capacity	322 l
Security class	II
Limit of protected value – home	to 100.000 €
Limit of protected value – company	to 50.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 310-05
Shelves	3
Weapon holders	8+2
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	S 120 P - 120 min. for paper documents acc. to EN 1047-01
Door thickness	139 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1461 x 572 mm
Protruding door hinges/fittings	70 mm
Maximum weapon length	1293 mm
Features of the lock	4-sided bolt locking system
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	1, 200 mm high, with cylindric lock
Cleaning rod holder	--

Adapted for wall anchoring	no
More data on the body	multi-walled, external dimensions including the 100 mm high socle
Interior fittings	- 8 weapon holders at the back wall, - one weapon holder each at the left and the partition wall, - 3 adjustable shelves on the right side
