

## WTS 1504

Gun safe



### Prime parameters

#### Size of the safe

External dimensions: 1650 mm × 800 mm × 540 mm

#### Resistance class and insurance

Security class 0 according to EN 1143-1

#### Colour

Choose your safe's standard colour or modify it

#### Key lock

Key lock

# Technical details

External dimensions (H x W x D)	1650 mm x 800 mm x 540 mm
Internal dimensions (H x W x D)	1500 mm x 650 mm x 340 mm
Weight	300 kg
Capacity	332 l
Security class	0
Limit of protected value – home	to 40.000 €
Limit of protected value – company	to 10.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WTS 1504
Shelves	3
Weapon holders	8 + 3
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	S 120 P - 120 min. for paper documents acc. to EN 1047-01
Door thickness	125 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1461 x 1118 mm
Protruding door hinges/fittings	50 mm
Maximum weapon length	1250 mm
Features of the lock	- 3-sided bolt locking system with 35 mm diameter pins, - fixed pins on hinge side, - locking area protected by armoured plates and o-ring protection
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	2
Cleaning rod holder	1

Adapted for anchoring in the ground	yes
Adapted for wall anchoring	no
More data on the body	triple-walled with integrated reinforcement, fire insulation acc. to DIN 4102
Interior fittings	- 2 inner safes, each approx. 250 mm high, - 3 lockers and a cleaning rod holder in the doorway