WT 255-24

Gun safe

Private advisor available from 8:00 to 17:00

Send us an enquiry



Prime parameters

Size of the safe

External dimensions: 1500 mm × 585 mm × 430 mm

Resistance class and insurance
Security class 0 according to EN 1143-1

Colour
Choose your safe's standard colour or modify it

Key lock
Key lock



Technical details

External dimensions (H x W x D)	1500 mm × 585 mm × 430 mm
Internal dimensions (H x W x D)	1420 mm × 505 mm × 305 mm
Weight	197 kg
Capacity	219 l
Security class	0
Limit of protected value – home	to 40.000 €
Limit of protected value – company	to 10.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 255-24
Shelves	3
Weapon holders	5
Certification body	ECB-S
Anti-burglary protection standard	EN 1143-1
Door thickness	105 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1218 x 499 mm
Protruding door hinges/fittings	25 mm

Features of the lock	4-sided bolt locking system, among this fixed pins on the hinge side, knocker-type handle
Lock	high security key lock (2 keys included)
Lacquer/Colour	light grey RAL 7035
Inner safes	1, 165 mm high
Cleaning rod holder	2
Partition wall	yes
More data on the door	door plate 3 mm thick
Adapted for anchoring in the ground	yes
Adapted for wall anchoring	yes
More data on the body	25 mm thick, ATTENTION: anchoring required due to tipping of the safe
Interior fittings	hook rail for 3 keys

HARTMANN TRESORE Polska Sp. z o. o
tel. +48 22 850 40 45
www.hartmann-tresore.pl
Paderborn
Hamburg
Berlin
Düsseldorf
Cologne
Munich
London
Paris
Midlan
Warsaw
Winterthur
Dubai