

WT 255-22

Gun safe



Prime parameters

Size of the safe External dimensions: 1500 mm × 475 mm × 430 mm

Resistance class and insurance

Security class 0 according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock Key lock

HARTMANN TRESORE Polska Sp. z o. o tel. +48 22 850 40 45 www.hartmann-tresore.pl

Paderborn Hamburg Berlin Düsseldorf Cologne Munich London Paris Midlan Warsaw Winterthur Dubai

Technical details

External dimensions (H x W x D)	1500 mm × 475 mm × 430 mm	
Internal dimensions (H x W x D)	1420 mm × 395 mm × 305 mm	
Weight	165 kg	
Capacity	171	
Security class	0	
Limit of protected value – home	to 40.000 €	
Limit of protected value – company	to 10.000 €	
Standard lock	Key lock	
Size of the safe	Big	
Article number	WT 255-22	
Shelves	1	
Weapon holders	7	
Certification body	ECB-S	
Anti-burglary protection standard	EN 1143-1	
Door thickness	105 mm	
Door opening direction	right side	
Door opening angle	180°	
Door clearance dimensions	1218 x 389 mm	
Protruding door hinges/fittings	25 mm	
Features of the lock	4-sided bolt locking system, among this fixed pins on the hinge side, knocker-type handle	
Lock	high security key lock (2 keys included)	
Lacquer/Colour	light grey RAL 7035	
Inner safes	1, 165 mm high	
Cleaning rod holder	2	
Partition wall	no	
More data on the door	door plate 3 mm thick	
HARTMANN TRESORE Polska Sp. z o. o tel. +48 22 850 40 45 www.hartmann-tresore.pl		

More data on the body	25 mm thick, ATTENTION: anchoring required due to tipping of the safe
Interior fittings	hook rail for 3 keys

HARTMANN TRESORE Polska Sp. z o. o tel. +48 22 850 40 45 www.hartmann-tresore.pl

Paderborn Hamburg Berlin Düsseldorf Cologne Munich London Paris Midlan Warsaw Winterthur Dubai