

WT 270-01#3020

Gun safe



Prime parameters

Size of the safe

External dimensions: 1650 mm × 770 mm × 500 mm

Resistance class and insurance

Security class I according to EN 1143-1

Colour

Choose your safe's standard colour or modify it

Key lock

Key lock

Technical details

External dimensions (H x W x D)	1650 mm x 770 mm x 500 mm
Internal dimensions (H x W x D)	1511 mm x 646 mm x 330 mm
Weight	360 kg
Capacity	322 l
Security class	I
Limit of protected value – home	to 65.000 €
Limit of protected value – company	to 20.000 €
Standard lock	Key lock
Size of the safe	Big
Article number	WT 270-01#3020
Shelves	3
Weapon holders	7+4
Certification body	VdS
Anti-burglary protection standard	EN 1143-1
Fire resistance	LFS 30 P - 30 min. for paper documents acc. to PN-EN 15659
Door thickness	105 mm
Door opening direction	right side
Door opening angle	180°
Door clearance dimensions	1478 x 616 mm
Protruding door hinges/fittings	60 mm
Maximum weapon length	1300 mm
Features of the lock	4-sided bolt locking system, fixed pins on hinge side, lock area protected against drilling, milling and cutting
Lock	electronic ZS 56, chrome-plated aluminium fitting
Lacquer/Colour	red RAL 3020, special
Inner safes	2, both 200 mm high
Cleaning rod holder	yes

Adapted for anchoring in the ground	yes
Adapted for wall anchoring	no
More data on the body	multi-wall, 62 mm thick, with the insulation as above
Interior fittings	3 lockers and a cleaning rod holder